

Short Form Classification Report No. 18409C

PRODUCT

BLOWERPROOF LIQUID

SPONSOR

Hevadex bvba

PRODUCT DETAILS

- Density: 1,15 – 1,25 kg/l (wet)
- Applied amount onto the substrate: 743 g/m²
- Surface mass of the dried film: 400 g/m²
- Dried film thickness: 0,40 mm
- Colour:
 - Blue (liquid)
 - Black (dried film)

FIELD OF APPLICATION

- Substrate: Euroclass A2-s1,d0 or better, excluding paper faced gypsum plasterboards, with a minimal thickness of 9 mm and a minimal density of 652,5 kg/m³
- Fixing: Directly sprayed or rolled onto the substrate

CLASSIFICATION

C-s1,d0

STANDARDS

Test standard: EN ISO 11925-2:2010/AC:2011 & EN 13823:2010+A1:2014


Classification standard: EN 13501-1-2007+A1:2009

SIGNED



Niek De Pauw (Signature)
Project assistant
2017.07.06 15:55:57
+02'00'

APPROVED



Bart Sette (Signature)
General Manager
2017.07.10 16:09:43
+02'00'

For and on behalf of WFRGENT nv

This short form classification report has been drafted according to EGOLF agreement EGA 08rev2:2013 "Application note: clause 5.10 [5.10/1] – Types of test reports used in fire testing". Whilst the test data and classification provided within this short form report was obtained in a test conducted fully in accordance with the standards EN ISO 11925-2:2010/AC:2011, EN 13823:2010+A1:2014 & EN 13501-1:2007+A1:2009, the presentation of the results in this short form report may not satisfy the requirements of those standards and EN ISO/IEC 17025:2005/AC:2006. The presentation of the results in this manner is made by agreement with the sponsor and use of the information herein for product assessment, approval or certification purposes will be restricted.

The full classification report No. **18409B** is available at **Hevadex bvba**.

This document is the original version of this report and is written in English. This document may be used only literally and completely for publications. For publications of certain texts, in which this document is mentioned, our permission must be obtained in advance.

The authenticity of the electronic signatures is assured by Belgium Root CA.